



FERROTEC CONFIDENTIAL

(5) Print a P/N number and Lot Number on the absorbing surface.
(4) The end of lead wire is pre-soldered.
(3) The lead wire is MIL-W-16878E/4 Type E, AWG #20 PTFE.
(2) When applying plus voltage to red lead wire, the upper substrate becomes absorbing surface.
(1) The resistance of Thermoelectric Module is 1.141-1.393Ω (at 25℃).

ITEM		VALUE	CONDITION
MAXIMUM CURRENT	Imax	5.5A	Qc=0, ΔT=ΔTmax, Th=50℃
MAXIMUM VOLTAGE	Vmax	11.1V	Qc=0, I=Imax, Th=50℃
MAXIMUM ΔT	ΔTmax	105℃	Qc=0, I=Imax, Th=50℃
MAX. HEAT PUMP	Qcmax	12.7W	I=5.5A, ΔT=0, Th=50℃
MAX. TEMPERATURE		200℃	Momentary

ROHS Compliance

NO.	DATE	CONTENTS	PREPARED

ENGINEER Jihong Mao	Mar.30,09	FINISH	
PREPARED Jihong Mao	Apr.21,09	MATERIAL	
CHECKED		SURFACE	
APPROVED		DIMENSION OF MATERIAL	
		WEIGHT OF MATERIAL	

MODEL NUMBER 2020/088/055B		PROJ. 3 ANGLE
DRAWING NUMBER T0904-0900E		/
P/N 85151	SCALE NONE	REV. Z

FerroTec